# IERG4210 Web Programming and Security (2022 Spring) Assignment Marking Guidelines

### REVISION HISTORY

v1.0 Published on 28/03/2022 v1.1 Updated on 08/04/2022

#### GENERAL GUIDELINES

The assignment is designed to let students practice what they have learned in the course. Students must be aware of web application security throughout web development. The whole assignment is split into 6 phases, leading all the way to a creative and functional shopping cart upon completion. Students should take a real-world website, <a href="mailto:parknshop.com">parknshop.com</a>, as a reference. In the assignment, students are expected to <a href="mailto:understand and apply">understand and apply</a> proper security design principles and programming skills, regardless of which programming languages and libraries the students desire to use. The marking checklist included in the next page therefore outlines only the general requirements with a <a href="mailto:result-oriented basis">result-oriented basis</a> in order to encourage students' creativity. For detailed guidance, students should refer to both lecture and tutorial notes.

#### SUBMISSION POLICY

Students are required to package all of their source code, a <u>README</u> file, and any external resources (e.g. database, images, css and js files) into a zip file and submit it to the Blackboard. Each phase is associated with a <u>firm</u> submission deadline.

- Late Submission Penalty -- Late submission will lead to your mark reduction by the formula  $0.9^n$ , where n is the round-up number of days delayed (e.g., assume your score is S and your submission is 9 hrs late  $\rightarrow 0.9 \times S$ , 25 hrs late  $\rightarrow 0.81 \times S$ , 49 hrs late  $\rightarrow 0.729 \times S$ , and so forth).
- Final Demonstration Students will sign up for a timeslot to demonstrate their websites to a marker, who
  will then grade it according to the checklist. The marker will then evaluate the student's understanding with
  questions.

### HONESTY IN ACADEMIC WORK

CUHK places very high importance on honesty in academic work submitted by students, and adopts a policy of *zero tolerance* on cheating in examinations and plagiarism. Students are NOT allowed to submit anything that is plagiarised. Therefore, we treat every assignment our students submit as original except for source material explicitly acknowledged. We trust that students acknowledge and are aware of University policy and regulations on honesty in academic work, and of the disciplinary guidelines and procedures applicable to breaches of such policy and regulations, as contained in the website <a href="http://www.cuhk.edu.hk/policy/academichonesty">http://www.cuhk.edu.hk/policy/academichonesty</a>.

## IERG4210 Web Programming and Security (2022 Spring)

## Assignment Marking Checklist v1

PHASE	5: Secu	RE CHECKOUT FLOW (DEADLINE: APR 11 2022) (SUBTOTAL: 20')
		phase, yet the most critical one, to escalate your website (building skill) to the next (professional)
		kely be offered a job if you can demonstrate such a level of web programming skills.) The
		has already been outlined as below. Be prepared to spend a substantial amount of time debugging.
Г		O O
1.	Sign up	at <a href="https://developer.paypal.com">https://developer.paypal.com</a> and create two test accounts:/ 1'
	0	A merchant account - after logging in to the Sandbox Test Suite, modify necessary settings in the
		Selling Preferences under Profile
	0	A buyer account – use it to pay for purchased items in your shopping portal
2.	Create a	a submit button via either legacy or standard checkout APIs/ 3'
	0	(Legacy) Enclose your shopping cart with a <form> element (See Ref.1 &amp; Ref.2)</form>
		<ul> <li>Use the Cart Upload Command of PayPal Website Payment Standard</li> </ul>
		(cmd=_cart&upload=1)
		<ul> <li>Insert additional hidden fields that are required by PayPal</li> </ul>
		<ul> <li>business, charset, currency_code, item_name_X, item_number_X, quantityX</li> </ul>
		• invoice and custom
		<ul> <li>Create a checkout button that submits the form</li> </ul>
	0	(Standard) Embed a Paypal Smart Button inside your shopping cart (See Ref.3)
		Include the PayPal JavaScript SDK
		Set up a container element for the button
		<ul> <li>Render the button by paypal.Buttons().render(); (createOrder and onApprove</li> </ul>
2	X 4.71= 41	can be empty for Step 2)
3.		ne checkout button is clicked:/ 4'
	0	Pass the <i>pid</i> and <i>quantity</i> of every individual product <b>(or any other data)</b> to your server using
		AJAX and cancel the default form submission
	0	Server generates a digest that is composed of at least:  • Currency
		Merchant's email address
		A random salt
		<ul> <li>The <i>pid</i> and <i>quantity</i> of each selected product (Is quantity positive number?)</li> </ul>
		The current price of each selected product gathered from DB
		The total price of all selected products
	Hint	: separate them with a delimiter before passing to a hash function
	0	Server stores all the items to generate the digest into a new database table called <i>orders</i>
	-	The user could be logged in or as "guest" to purchase, store username with order in DB
	0	Pass the lastInsertId() and the generated digest back to the client by putting them into
		<ul> <li>(Legacy) the hidden fields of invoice and custom, respectively</li> </ul>
		<ul> <li>(Standard) the custom_id and invoice_id of purchase_units, respectively</li> </ul>
	0	Clear the shopping cart at the client-side
	0	Submit the <b>order</b> now to PayPal using
		<ul> <li>(Legacy) programmatic form submission</li> </ul>
		<ul> <li>(Standard) the createOrder function</li> </ul>
4.	Setup a	n Instant Payment Notification (IPN) page to get notified once payment is completed (See Ref.4 &
	<b>Ref. 5)</b>	
	0	Validate the authenticity of data by verifying that it is indeed sent from PayPal $\begin{tabular}{ll} & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ $
		<ul> <li>Your IPN receiver page is served over HTTPS (using the SSL cert)</li> </ul>

When contacting PayPal for the message authenticity check, use SSL and port 443

	0	Check that txn_id has not been previously processed and txn_type is cart	/ 1	
	0	Regenerate a digest with the data provided by PayPal (same order and algorithm)	/2	
	0	Validate the digest against the one stored in the database table <i>orders</i>	/ 2	
		<ul> <li>If validated, the integrity of the hashed fields is assured</li> </ul>		
		<ul> <li>Save the txn_id and payment_status into DB</li> </ul>		
Debugging Hint: use error_log(print_r(\$_POST,true)) to print out the parameters passed by PayPal				
5.	After th	e buyer has finished paying with PayPal, auto-redirect the buyer back to your shop	/1	
6.	Display	the DB <i>orders</i> table in the admin panel: product list, payment statusetc.	/1	
7.	Let mer	nbers check what they have purchased in the most recent five orders.	/ 4	
	0	Show the order information in the member portal.		

Sample Code Coverages:

Legacy/form.php: step 2 (legacy) Legacy/payments.php: part of step 4

Standard/ajax.html: step 2 (standard), part of step 3-1

Standard/listener.php: part of step 4

#### References:

http://www.evoluted.net/thinktank/web-development/paypal-php-integration

https://www.paypal.com/lv/smarthelp/article/how-do-i-add-paypal-checkout-to-my-custom-shopping-cart-ts1 200

https://developer.paypal.com/docs/checkout/standard/integrate/

https://developer.paypal.com/api/nvp-soap/ipn/IPNIntro/

https://developer.paypal.com/api/nvp-soap/ipn/IPNandPDTVariables/