Technologies

Introduction to Computer Security Naercio Magaia and Imran Khan

Contents

- Linux
- Command Line Interfaces
- Apache Web Server
- Virtual Machines
- Amazon Web Services
- Containers and Docker


What is Linux?

- Linux is a clone of Unix
 - o Unix was one of the first **multitasking** and **multiuser** operating systems from Bell Labs in 1969
- Open-Source operating system providing full multitasking across multiple architectures
- Created in 1991 by Linus Torvalds and supported by a very large community
- It is free, unlike Windows, MacOs, and iOS (Android offshoot of Linux)

What is Linux?


- Available in a wide variety of distributions
 - o A distribution is a chosen Linux kernel, a package management system and a set of applications
 - o Some are commercially backed: RedHat, openSUSE
 - o Others community managed: Debian, Gentoo...
 - o We'll be using Ubuntu, commercially managed by Canonical Ltd, based on Debian and very stable

SIMPLE HISTORY OF OS



POSIX (Portable Operating

Linux File System



- Hierarchical directories (folders), starting at root
- Standardised locations
- Easily explored from the Command Line Interface (CLI)


Command Line Interface

- All human computer interfaces can be a way to interact with the "shell" around the application and operating system
- Most operating systems have a command line interface that provides a set of commands to interact directly with the operating system
- Have a play on the Sussex Unix server

```
↑ nmagaia@nmagaia-sb3: ~
nmagaia@nmagaia-sb3:~$ ssh ndpm20@unix.susx.ac.uk
ndpm20@unix.susx.ac.uk's password:
Last login: Wed Sep 28 16:28:45 2022 from vpn.ist.utl.pt
               Welcome to the University of Sussex
                          Unix Service
             For IT Support please contact IT Services
                    (A): Shawcross Building
                 (E): itservicedesk@sussex.ac.uk
              (W): http://www.sussex.ac.uk/its/help
Linux hubble.uscs.susx.ac.uk 3.10.0-1062.9.1.el7.x86_64 #1 SMP Fri Dec 6 15:49:49 UTC 2019 x86_6
4 x86_64 x86_64 GNU/Linux
-bash-4.2$
```

Apache HTTP Server


- Web servers listen on a TCP port for HTTP requests
- They process the request, then return a response on the same TCP connection
- Apache is open source and runs well over a quarter of the Web



- Easy to install and configure on Linux
- Available in packages for your computer, e.g., XAMPP and WAMP


Apache functionality

- /etc/httpd/conf/httpd.conf
 - o Directives such as:
 - o DocumentRoot (Where the content is)
 - o Listen (what port, e.g., 80 or 8080)
 - o LogLevel (how much to log)
- Allows for native interpreters via modules for PHP, Python, Ruby and Perl
- Other modules for authorization, rewrites, etc.
- Place HTML and other files in directories under the DocumentRoot to provide access



Virtual Machines

- An operating system abstracts the hardware so multiple processes can run
- Machine virtualization is an abstraction of hardware so that multiple operating systems can run concurrently
- A hypervisor provides the interface abstractions for this to happen
- A full copy of the OS is installed on every VM
- Commonly used by cloud providers to deliver multiple instances on a single server



Cloud Computing

- Most computing takes place in Data Centres
- Servers and Storage Systems are connected by local area networks with egress and ingress to the wider Internet
- Commercial providers leverage their Data Centres to provide cloud service, notably Microsoft Azure, Google and Amazon Web Services






Amazon Web Services

- Provides a rich set of services and technologies located in Amazon's Data Centres
- Provides very low-cost entry to computing on demand
- Applications are built from databases, other services and the set of Web servers and load balancers that provide access
- Well designed Web interface to manage services, such as instances (Elastic Compute 2 (EC2)), and locate in a centre around the world
- https://aws.amazon.com/ec2/g etting-started/

Containers

- Rather than packaging the whole OS, software can provide namespace management within a Process to isolate applications (rebasing the apps view of the directory structure, and catching and redirecting the signals)
- Applications can be packaged with the other applications and services needed and run in a user space process
- Docker is the most well known




Docker

- A Docker container image is a lightweight, standalone, executable package of software that includes everything needed to run an application: code, runtime, system tools, system libraries and settings.
- An image becomes a container when it runs on a container runtime, e.g., Docker Engine

- Image is built and stored on a registry
- The container Daemon runs on the target machine
- The Daemon pulls images from the registry
- Starts a process that turns the image into a container
- The container maps onto the standard input and output of the target
- Network sockets can create virtual networks, or even map through to real interfaces

Docker Flow

Original at https://docs.docker.com/get-started/overview/



Docker and this Module

- We want to probe applications such as databases and web servers
 - o Putting vulnerable software on your machine is not recommended
- Docker provides isolated instance of the applications running on your computer, which go up and down as you control through Docker.
- Docker and other container technologies are widely used to test and distribute applications
- https://docs.docker.com/get-started/

Conclusion

- Technologies in use on this course:
 - o Linux and the CLI
 - Cloud Computing Services and AWS
 - Containers and virtual machines
 - o Docker
- Have a play with the Command Line Interface on the Sussex Unix server